IN THE CLAIMS:

Please cancel claims 6, 16-17, 22, 71, 81 and 86 without prejudice or disclaimer.

- 1. (Twice amended) An isolated, recombinant or purified peptide of 5-30 amino acids which peptide exhibits antagonistic activity directed against IL-6, having comprising at least one string of 5 12 consecutive amino acids long in common with the following amino acid sequence: EWGPRSTPSLTTKAVLLLVRKFQNSPAED from (SEQ ID NO: 11), wherein said isolated, recombinant or purified peptide has IL-6 antagonistic activity as determined by a bioassay for determining IL-6 antagonistic activity.
- 2-3. Canceled.
- 4. (Amended) A <u>The isolated, recombinant or purified</u> peptide according to <u>of</u> claim 1 of 5 12-20 amino acids.
- 5. (Previously amended) The isolated, recombinant or purified peptide of claim 1 of 5-12 amino acids.
 - 6. (To be canceled)
 - 7. Canceled.
- 8. (Twice amended) A peptide composition, wherein at least two isolated, recombinant or purified peptides of claim 1 are chemically linked directly or via spacer molecules.
- 9. (Amended) A <u>The</u> peptide composition according to <u>of</u> claim 8, wherein <u>the</u> at least two chemically linked peptides are linked with lysine.
 - 10. Withdrawn.



- 11. (Amended) A <u>The</u> peptide composition according to <u>of</u> claim 8, wherein at least four isolated, recombinant <u>or purified</u> peptides are linked with branching oligolysines.
- 12. (Twice amended) A mixture comprising the isolated, recombinant or purified peptides peptide of claim 1.
 - 13-14. Canceled.
- 15. (Twice amended) A pharmaceutical preparation comprising:
 the isolated, recombinant or purified peptide of claim 1, together with at least one suitable excipient for administration
 an inert carrier.
 - 16. (To be canceled).
 - 17. (To be canceled).
 - 18. Canceled.
 - 19. Withdrawn.
 - 20. Canceled.
- 21. (Twice amended) A method for culturing cells comprising:

 incubating or culturing said cells in a medium; and

 contacting said cells, or the medium wherein said cells are incubated or cultured, with the isolated, recombinant or purified peptide of claim 1.
 - 22. (To be canceled).

- 23. (Previously twice amended) A method for manufacturing a medicament for topical or intra-mammary application, characterized in that the isolated, recombinant or purified peptide of claim 1 is used.
 - 24-46. Canceled.
 - 47. Withdrawn.
 - 48-70. Canceled.
 - 71. (To be canceled).
- 72. (Amended) The peptide composition of claim 9, wherein the at least four two linked peptides are linked with branching oligolysines.
 - 73. Withdrawn.
- 74. (Amended) A method for exerting agonistic IL-6 activity at concentrations that are relatively equivalent to of 7.5 to 120 μg/ml comprising:
- eharacterized in that contacting a cell with the isolated, recombinant or purified peptide of claim 1;
- wherein the isolated, recombinant or purified peptide is provided at a concentration of about 7.5 to 120 µg/ml; and

wherein contacting the cell is performed in the presence of IL-6 thus exerting agonistic IL-6 activity is used.

75. (Previously added) A mixture comprising the peptide composition of claim 8.



76-77. Withdrawn.

78. (Twice amended) A pharmaceutical preparation composition comprising:
the peptide composition of claim 8; and , together with at least one suitable excipient for administration

an inert carrier.

79-80. Withdrawn.

81. (Canceled).

82-85. Withdrawn.

86. (Canceled)